



# HP Engage 16t FHD Monitor (2D9X0AA)

## Specifications

<b>Display size (diagonal)</b>	39.6 cm (15.6")
<b>Display size (diagonal)</b>	15.6"
<b>Panel technology</b>	AHVA
<b>Minimum dimensions (W x D x H)</b>	39.14 x 24.08 x 2.72 cm (Without stand.)
<b>Minimum dimensions (W x D x H)</b>	15.4 x 9.48 x 1.07 in (Without stand.)
<b>Weight</b>	4.28 kg (With stand.)
<b>Weight</b>	9.43 lb (With stand.)
<b>Webcam</b>	Yes, 5MP
<b>Package dimensions (W x D x H)</b>	47.6 x 32.6 x 39.6 cm
<b>Package weight</b>	6.78 kg
<b>Power</b>	100 - 240 VAC 50/60 Hz
<b>Power supply type</b>	External
<b>Sustainable impact specifications</b>	Recycled plastic cushions; Low Halogen
<b>What's in the box</b>	Monitor; DisplayPort™ 1.2 cable (1.8 m/6 ft); Documentation; Power adapter; USB Type-C® cable (1.8 m/6 ft)

## Additional specifications

<b>Aspect ratio</b>	16:9
<b>Audio port</b>	1 x 3.5 mm Audio Jack (Audio Out)
<b>Backlight type</b>	Edge-lit
<b>Bezel</b>	3-sided micro-edge
<b>Brightness</b>	400 nits
<b>Certifications and compliances</b>	Australian-New Zealand MEPS; BSMI; CB; CCC; CE; CECP; CEL; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; NOM; TUV-S; UL/CSA; VCCI; Vietnam MEPS; WEEE; China Energy Label (CEL) Grade 2; ICE
<b>Contrast ratio</b>	800:1
<b>Curvature</b>	Flat
<b>Detachable stand</b>	Yes
<b>Dimensions With Stand (W x D x H)</b>	39.14 x 26.93 x 22 cm
<b>Display area (imperial)</b>	13.55 x 7.62 in
<b>Display area (metric)</b>	34.42 x 19.36 cm
<b>Display features</b>	On-screen controls; Touch enabled; Low blue light mode; Dual speakers (2W per channel); Anti-glare
<b>Display scan frequency (horizontal)</b>	30-80 KHz
<b>Display scan frequency (vertical)</b>	50-76 Hz
<b>DisplayPort™</b>	1 DisplayPort™ 1.2
<b>Ethernet</b>	No
<b>Flicker-free</b>	No
<b>HDCP</b>	Yes, DisplayPort™ and USB Type-C®
<b>Hardness</b>	7H
<b>Height adjustment range</b>	No height adjust
<b>Horizontal viewing angle</b>	178°
<b>Integrated privacy filter</b>	No
<b>Low blue light</b>	Yes (TÜV certified)
<b>Management Software</b>	HP Display Center
<b>Microphone</b>	Yes
<b>Native resolution</b>	FHD (1920 x 1080)
<b>Onscreen controls</b>	Brightness; Information; Management; Power control; Input control; Menu control; Image; Color
<b>Operating humidity range</b>	20 to 80% non-condensing
<b>Operating temperature range</b>	5 to 35°C

<b>Operating temperature range</b>	41 to 95°F
<b>Package dimensions (W x D x H)</b>	18.74 x 12.83 x 15.59 in
<b>Package weight</b>	14.95 lb
<b>Panel bit depth</b>	8 bit
<b>Physical security</b>	None
<b>Pixel pitch</b>	0.1792 mm x 0.1792 mm
<b>Pixels per inch (ppi)</b>	141 ppi
<b>Power consumption</b>	65 W (maximum), 20 W (typical), 0.5 W (standby)
<b>Product dimensions with stand (W x D x H)</b>	15.4 x 10.6 x 8.66 in
<b>Resolution (maximum)</b>	FHD (1920 x 1080 @ 60 Hz)
<b>Resolutions supported</b>	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1366 x 768; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050; 1920 x 1080
<b>Response time (typical)</b>	25ms on/off
<b>Screen treatment</b>	Anti-glare
<b>Speaker output power</b>	2 x 1.5 W
<b>Speakers</b>	2
<b>Tilt</b>	-15 to +40°
<b>Touch-enabled</b>	Projected Capacitive technology
<b>UNSPSC code</b>	43211902
<b>USB Type-C® video input</b>	1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.2)
<b>VESA mounting</b>	100 mm x 100 mm (bracket included)
<b>Vertical viewing angle</b>	178°
<b>pivot</b>	No pivot
<b>swivel</b>	No swivel

## Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.