

MultiSync® E271N LCD 27" Commercial Display

Datasheet



NEC MultiSync® E271N - attractive price-performance office productivity, matching best visualisation with health-conscious efficiency

The 27" ultra-narrow bezel display combines advanced visual display quality on a larger screen size with the functionality for efficient office productivity.

With high attention to user well-being, the viewer's eyes are protected with built-in Low Blue Light technology to filter out hazardous blue light emissions whilst Flicker-Free technology eliminates the effect of flickering.

With sleek and elegant styling to complement modern professional office interiors, this display offers advanced visual quality and performance.

Benefits

Best price-performance ratio in 27" line-up - offering the same panel and display quality as the EA Series but with less advanced functionality and connectivity, ideal for everyday office performance.

Future-Ready Design - best in form and function design with 3-sided 1 mm ultra-thin bezel gives an office a fresh professional interior.

Black and white housing - choose the housing design to best suit your office style and comply with local office ergonomic recommendations.

Protecting your eyes from strain and damage - Built-in Low Blue Light technology filters out hazardous blue light emissions whilst Flicker-Free technology eliminates any backlight flickering, thus protecting your eyes against cataracts and macular degeneration without compromise to true-to-life display colour performance.

Your environmental and social responsibility - NEC's TCO 7 and ENERGY STAR 7 certified display is environmentally designed with minimal hazardous material meeting the growing demand for more sustainable technologies.

Product Information

| | |
|---------------|------------------------------|
| Product Name | MultiSync® E271N |
| Product Group | LCD 27" Commercial Display |
| Order Code | 60004496 (BK), 60004633 (WH) |

Display

| | |
|--|---|
| Panel Technology | IPS TFT with W-LED backlight |
| Screen Size [inch/cm] | 27 / 69 |
| Screen Aspect Ratio | 16:9 |
| Pixel Pitch [mm] | 0.311 |
| Brightness (typ.) [cd/m ²] | 250 |
| Contrast Ratio (typ.) | 1000:1 |
| Viewing Angle [°] | 178 horizontal / 178 vertical (typ. at contrast ratio 10:1) |
| Response Time (typ.) [ms] | 6 |
| Colours [Mio.] | 16.77 |

Synchronisation Rate

| | |
|----------------------------|-------------|
| Horizontal Frequency [kHz] | 31.5 - 81.1 |
| Vertical Frequency [Hz] | 56 - 76 |

Resolution

| | |
|--------------------|----------------------|
| Optimum Resolution | 1920 x 1080 at 60 Hz |
|--------------------|----------------------|

Connectivity

| | |
|---------|---------------------------|
| Digital | 1 x DisplayPort; 1 x HDMI |
| Analog | 1 x VGA |

Electrical

| | |
|-------------------------------|---------------------------------------|
| Power Consumption on Mode [W] | 16 (Eco Mode 1); 20 (typ.); 26 (max.) |
| Power Savings Mode [W] | 0.26 |
| Power Supply | integrated power supply |

Environmental Conditions

| | |
|----------------------------|-----------|
| Operating Temperature [°C] | +5 to +35 |
| Operating Humidity [%] | 20 to 80 |

Ergonomics

| | |
|------------------------------|--|
| Height adjustable stand [mm] | 130 |
| Screen Tilt [°] | - 5 to 35 |
| Screen Swivel [°] | 170 to 170 |
| Screen Rotate [°] | -90 to 90 (landscape to portrait mode) |

Mechanical

| | |
|-----------------------------|---|
| Bezel Width [mm] | 1 (left and right); 1 (top) |
| Dimensions (W x H x D) [mm] | 610.4 x 376.9 - 506.9 x 282 (Landscape mode); Without stand: 610.4 x 359.9 x 46.6 |
| Weight [kg] | With stand: 8.1 |
| VESA Mounting [mm] | 100 x 100 |

Additional Features

| | |
|--------------------------|--|
| Special Characteristics | DisplayPort; EcoModes |
| Colour Versions | Black Front Bezel, Black Back Cabinet; White Front Bezel, White Back Cabinet |
| Cable Management | yes |
| Kensington security slot | yes |
| Plug and Play | VESA DDC2Bi |
| Audio | Headphone Jack; Integrated Speakers (1 W + 1 W) |
| Adjust Functions | Auto Adjust; Brightness; Carbon Footprint Meter / Carbon Savings Meter; DV Mode; EcoMode; Language Select |
| Shipping Content | DisplayPort cable; Power Cable; Set-up manual; Setup Guide; VESA plate Signal Cable: DisplayPort; VGA - VGA |
| Safety and Ergonomics | EnergyStar 7.0; Flicker-free; Low Blue Light; RoHS; TCO 7.0; TÜV Ergonomics; TÜV GS; WEEE |

Green Features

| | |
|----------------------|---|
| Energy Efficiency | Carbon Footprint Meter / Carbon Savings Meter; ECOMode; Energy efficiency class: A+ |
| Ecological Standards | Energy Star 7.0; RoHS compliant; TCO 7.0; WEEE |



RoHS



TÜV
Ergonomics



TÜV GS

This document is © 2018 NEC Display Solutions Europe GmbH.

All rights reserved in favour of their respective owners. All hardware and software names are brand names and/or registered trademarks of the respective manufacturers. All specifications are subject to change without notice. Errors and omissions are excepted. 20.07.2018