

MPN: MC-HDMIKVM0201-4K

4K@60Hz HDMI KVM switch, 2x1 4:4:4, HDCP 2.2 & 1.4, 18Gbps bandwidth, 3D

Introducing the Microconnect MC-HDMIKVM0201-4K HDMI KVM Switch – your ultimate solution for seamless connectivity and control. Elevate your multimedia experience with this cutting-edge 2x1 switch that supports astonishing 4K resolution at 60Hz, ensuring the sharpest and most vibrant visuals for your devices.



Featuring the latest 4:4:4 chroma subsampling, this KVM switch guarantees unmatched color accuracy and clarity, delivering lifelike images and videos that truly pop off the screen. With the MC-HDMIKVM0201-4K, you can effortlessly switch between two HDMI source devices, such as computers, gaming consoles, or media players, all while using a single display and a set of peripherals like keyboard and mouse.

Say goodbye to the clutter of multiple displays and the hassle of constantly plugging and unplugging cables. With its plug-and-play design, this KVM switch offers a seamless user experience – just connect your devices and control everything with ease. Whether you're a professional requiring efficient workstation management or a multimedia enthusiast seeking the best visual experience, the MC-HDMIKVM0201-4K has you covered.

Simplify your setup, amplify your visuals, and streamline your workflow with Microconnect's MC-HDMIKVM0201-4K HDMI KVM Switch. Embrace the future of connectivity and enjoy the benefits of superior 4K@60Hz performance and 4:4:4 chroma subsampling in one sleek package.

Video and data cable sold separately, refer to recommended accessories for the best Microconnect options.

- Resolution: 3840 x 2160@60Hz, 4:4:4 Chroma subsampling
- Supports 3D video format
- HDCP 2.2 and HDCP 1.4 Compatible
- Equipment input: 3x USB A, 1x Headphone Jack and 1x Microphone Jack
- Audio on/off toggle and Video switching on front, or via Hotkeys seen in manual.
- HDMI and USB cables sold separately.
- Power adapter included works in EU and UK

Specifications

| | | |
|-----------------------|------------------------------|-------|
| Design | Cable lock slot | No |
| | Display switch button | Yes |
| | LED indicators | Yes |
| | Product colour | Black |
| | Push button | Yes |
| | Rack mounting | No |
| | RoHS compliance | Yes |
| | Wired remote switch | No |
| Other features | Power supply type | 5V |

| | | |
|-------------------------------|---------------------------------------|---|
| Package dimensions | Depth (package,cm) | 18.7 cm |
| | Gross Weight (Package, kg) | 0.464 kg |
| | Height (package,cm) | 5.6 cm |
| | Width (package,cm) | 20.7 cm |
| Packaging content | AC adapter included | Yes |
| | Cables included | No |
| | Manual | Yes |
| | Packaging content | KVM Switch, Power adapter and Manual |
| | Quick installation guide | Yes |
| | Rack mount kit | No |
| | Remote control included | No |
| Performance | Automatic switching | Yes |
| | HD type | 4K Ultra HD |
| | HDCP | Yes |
| | Maximum resolution | 3840 x 2160 Pixels |
| | Number of displays supported | 1 |
| | Plug and Play | Yes |
| Ports & interfaces | Console HDMI ports quantity | 3 |
| | Console ports | HDMI, 3.5mm mic, 3.5mm headphone, USB A, USB B |
| | DC-in jack | Yes |
| | HDCP | Yes |
| | Keyboard port type | USB |
| | Mouse port type | USB |
| | Number of computers controlled | 1 |
| | Number of microphone inputs | 1 |
| | USB version | 2.0 |
| | Video port type | HDMI |
| Power | AC input voltage | 5 V |
| | Compatible power plug types | EU, UK |
| | External power adapter | Yes |
| Product dimensions | Net Weight (Product, kg) | 0.233 kg |
| | Product Depth | 6.8 cm |
| | Product Height | 2.3 cm |
| | Product Width | 14.3 cm |
| Sustainability | Sustainability certificates | CE, Federal Communications Commission (FCC), RoHS |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Year(s) |

