

IMPACT 600 Series

IMPACT SC 660 ANC USB

IMPACT SC 665 USB-C / SC 635 USB-C

IMPACT SC 665 USB / SC 635 USB

IMPACT SC 665 / SC 635

IMPACT SC 660 USB ML / SC 630 USB ML

IMPACT SC 660 / SC 630

IMPACT SC 662 / SC 632

IMPACT SC 668 / SC 638

IMPACT SC 660 TC

Outstanding clear communication

Benefit from outstanding audio in dynamic office spaces with the premium wired IMPACT 600 Series.

Flawless sound is created by EPOS Voice™ technology, Active Noise Cancellation and an ultra noise-cancelling microphone for incredibly accurate and clear communication. Benefit from reliable, high-quality materials with a headset crafted to perfection, and enjoy easy call handling and all-day comfort to boost your productivity. This is a headset that says you put your people and your customers first.

See more at eposaudio.com/impact-600



Key benefits & features

Outstanding sound for perfect speech clarity

Ultra noise-cancelling microphone for perfect speech in noisy environments and Active Noise Cancellation for user comfort

Enjoy high-quality design and craftsmanship

Brushed aluminum and stainless-steel components, Vectran™ reinforced cables and strong, unibody headband

Handle calls seamlessly and conveniently

With proximity sensor technology, and in-line call control for easy call management

Easy to store and portable

With fold-flat ear cups and carry pouch

Exceptional wearing comfort

With soft leatherette ear pads for all-day comfort and powerful sound



IMPACT 600 Series

Product data

General

Wearing style	Headband – single and double-sided variant. See product table overview.
Color	Black with white
Headset weight	Single-sided: 59g / 2.1 oz Double-sided: 95g / 3.4 oz Double-sided: 110 g / 3.88 oz (SC 660 ANC USB)
Warranty	3 years

Audio

EPOS Voice™ technology	For a clear and natural listening experience
Microphone	Ultra noise-cancelling microphone for optimal speech transmission
Microphone frequency range	150 – 6,800 Hz (Wideband)
Speaker type	High-quality neodymium magnet speaker for outstanding audio quality
Speaker frequency response	50 – 18,000 Hz 50 – 12,000 Hz (SC 668 / SC 638)
Sound pressure	Limited by EPOS ActiveGard®: Max. 103 dB via Easy Disconnect Max. 110 dB via Easy Disconnect(SC 668 / SC 638) Max. 118 dB via USB/USB-C& 3.5 mm jack
Made for communications & multimedia*	Sound enhancement profiles adjust automatically for optimal communication or multimedia use
Enhanced music audio performance**	For a richer audio experience when listening to music
Active Noise Cancellation***	For enhanced noise reduction in open offices. Can be turned on/off

Call management

In-line call control (USB/USB-C)	Answer/end call, volume up/down and mute
In-line mini call control (3.5 mm jack)****	Answer/end call
Proximity sensor technology****	Answer call/call on hold/resume call by simply picking up headset/taking it off/putting it on again

Hearing protection

EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work limiter*/*****	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

Content of delivery

What's in the box	Headset, leatherette ear pad/s, magnetic holder, cable/clothing clip mounted, carry pouch, quick guide, safety guide
-------------------	--

Software

EPOS Connect (Freeware)	Remote call control, firmware updates and settings: eposaudio.com/software-epos-connect
PC Software (Freeware)	For other relevant PC software, please check: eposaudio.com/software
EPOS Manager (Saas)	Manage, update and configure your EPOS audio devices from one location: eposaudio.com/software-epos-manager
UC compatible	Yes. For more information please go to: eposaudio.com/compatibility

* Available on/applicable for the USB headset variants

** Available on SC 660 ANC USB, SC 635 USB/USB-C & SC 665 USB/USB-C








*** Available on SC 660 ANC USB only

**** Available on the mobile variants: SC 635 USB/USB-C, SC 665 USB/USB-C, SC 635 & SC 665

***** In compliance with EU Noise at Work legislation (Directive 2003/10/EC)

IMPACT 600 Series

Product overview

Connects to	Product	Description	Details	EAN / UPC code
PC via USB 	IMPACT SC 660 ANC USB Art. no. 508311	Double-sided, USB headset w. ANC & proximity sensor	UC optimized and Skype for Business Certified	EAN: 40 44155 24036 8 UPC: 6 15104 31759 8
	IMPACT SC 660 USB ML Art. no. 504553	Double-sided, USB headset with in-line call control	UC optimized and Skype for Business Certified	EAN: 40 44155 08344 6 UPC: 6 15104 23697 4
	IMPACT SC 630 USB ML Art. no. 504552	Double-sided, USB headset with in-line call control	UC optimized and Skype for Business Certified	EAN: 40 44155 08343 9 UPC: 6 15104 23696 7
PC via USB Smartphone & tablet via 3.5 mm jack  	IMPACT SC 665 USB Art. no. 507257	Double-sided 3.5 mm jack headset w.detachable USB cable	UC optimized and Skype for Business Certified*	EAN: 40 44155 22411 5 UPC: 6 15104 30135 1
	IMPACT SC 635 USB Art. no. 507254	Single-sided 3.5 mm jack headset w. detachable USB cable	UC optimized and Skype for Business Certified*	EAN: 40 44155 22408 5 UPC: 6 15104 30132 0
PC via USB-C** Smartphone & tablet via 3.5 mm jack  	IMPACT SC 665 USB-C Art. no. 508368	Double-sided 3.5 mm jack headset w. detachable USB-C cable	UC optimized and Skype for Business Certified*	EAN: 40 44155 24674 2 UPC: 6 15104 33323 9
	IMPACT SC 635 USB-C Art. no. 508367	Single-sided 3.5 mm jack headset w. detachable USB-C cable	UC optimized and Skype for Business Certified*	EAN: 40 44155 24673 5 UPC: 6 15104 33322 2
Smartphone and tablet via 3.5 mm jack***  	IMPACT SC 665 Art. no. 507256	Double-sided, 3.5 mm jack headset***		EAN: 40 44155 22410 8 UPC: 6 15104 30134 4
	IMPACT SC 635 Art. no. 507253	Single-sided, 3.5 mm jack headset***		EAN: 40 44155 22407 8 UPC: 6 15104 30131 3



IMPACT 600 Series

Additional benefits & features

Get a premium look and performance

Iconic design that combines style with functionality

Enable seamless call management

Intuitive interface to answer/end calls, mute and control volume

Stay mobile with fast charging

50% battery charges in just 20 minutes

Eliminate Wi-Fi interference

DECT protected frequency band enabling increased number of headset users

Secure your conversation

Effective and efficient encryption of all your calls

Engage easily in phone conferences

Intuitive, easy setup of up to 4 headsets with the same base station



Simple hot desking

Fast, secure pairing – simply dock headset in the base station

Protect your hearing

From acoustic shock with EPOS ActiveGard® technology

Product Overview

Connects to	Product	Description	EAN / UPC code
 Desk phone via Easy Disconnect (ED)	IMPACT SC 660 Art. no. 504557	Double-sided, ED headset. Optimized for desk phones	EAN: 40 44155 08348 4 UPC: 6 15104 23708 7
	IMPACT SC 630 Art. no. 504556	Single-sided, ED headset. Optimized for desk phones	EAN: 40 44155 08347 7 UPC: 6 15104 23704 9
	IMPACT SC 662 Art. no. 504559	Double-side, ED headset. Optimized for low impedance devices	EAN: 40 44155 08350 7 UPC: 6 15104 23714 8
	IMPACT SC 632 Art. no. 504558	Single-sided, ED headset. Optimized for low impedance devices	EAN: 40 44155 08349 1 UPC: 6 15104 23712 4
	IMPACT SC 668 Art. no. 506495	Double-sided, ED headset. Optimized for high impedance/ narrowband desk phones	EAN: 40 44155 20497 1 UPC: 6 15104 26744 2
	IMPACT SC 638 Art. no. 506494	Single-sided, ED headset. Optimized for high impedance/ narrowband desk phones	EAN: 40 44155 20496 4 UPC: 6 15104 26739 8
 Telecoil hearing aids via (ED)	IMPACT SC 660 TC Art. no. 507099	Double-sided, ED headset. Optimized for standard telecoil hearing aids	EAN: 40 44155 21456 7 UPC: 6 15104 28066 3

* Skype for Business Certification applies when USB/USB-C is connected to PC or Mac

** USB-C connectivity is optimized for use with PC and Mac. When USB-C is connected to smartphone or tablet performance is device dependent.

*** For phones/tablets with 3.5 mm connector. Compatible with other connection types when adaptor is used.
USB and USB-C controller cable available as accessory